



Manufacturer: Multivac
Type: T250
Year Built: 2007

The semi-automatic T 250 includes many standard features, including automatic drawer and a reel of film residues. The tray is larger than that of the T 200 and can accommodate different tray and custom and standard sizes. Moreover, there are several options available for this efficient and ergonomic packaging system.

machine:

capacity:
4 to 36 trays / min

vacuum pump:
Built-in, standard 100 m³ / hour

power:
400 V, 50 Hz or 3 x 220 V, 60 Hz.

compressed air:
7 bar, consumption about 23 liters per cycle

Cooling water:
4 bar, approximately 35 liters / hour

trays:

Tray Size:

first format
185 x 135 mm

2st format
180 x 125 mm

Tray Height:
up to 130 mm

materials:
All materials that are suitable for sealing trays and foil top

Productivity: higher capacity, faster cycle times and more trays per cycle with automatic tray, vacuum pump and the



Packaging Quality: a constant welding temperature and welding pressure to ensure a constant pressure seals.

Ease of use: intuitive handling and storage of recipes with a touch

Reliability: the German-designed tax structure, components and vacuum pumps ensuring high quality and excellent value for money and years of productivity

Flexibility: traysealer a wide range of products packed in different trays, packing materials and films over

Quick format change: thanks interchangeable tools

Easy maintenance: all components are easily accessible for maintenance

MK GILZE

